

122cm

Adhaciya



GENERAL SPECIFICATIONS

Category	Sub-category
Wood	Painted Prestige
inishes	Structured
Structured	Type of product
	PVC
Width	Louantle
WIGHT	Length

40 meters

Acrylic PSA

with air release system	Adnesive
10 years	Warranty
Stretchable	Stretchable
Average	Resistance to scratch
Length	Pattern direction
250 µm	Thickness (average by category)
5° C to 30° C	Storage condition (maximum 3 years from delivery)
Dry	Installation method
Interior	Installation area
12° C to 38° C	Installation temperature
ABAB	Installation method (ABBA - ABAB)



CERTIFICATIONS

4-5 (Length	Color fastness to rubbing (ISO 105- X12) - Assessment according to grey	Compliant	CE Wallcovering (EN15102)	
and width)	scales	Compliant	REACH	
Excellent	Color fastness to shampooing (ISO 18168)	Pass	Aldehydes after emission (CMR ISO 16000)	
Excellent	Color fastness to water (ISO 105-E01)	A+	Volatile Ogranic Compounds Testing (EN16516)	
11.50%	Liquid absorbency capacity (ISO 9073-6 2000)	Coming soon	Fire rating (EN13502)	
0 mm	Liquid wicking rate (ISO 9073-6 2000)	Coming soon	Anti-fire door (ANSI/UL 10C - ANSI/UL 10B)	
0.25 mm	Dimensional stability (ISO 3759) - 24h at 50 $^{\circ}$ C - 65 $^{\circ}$ humidity	Not required	Wall covering - specification for cork roll (EN13085)	
Coming soon	Heat and thermal cycle resistance	Compliant	IMO/MED Modul B - E	
Coming soon	Color fastness to light	Compliant	RAIL (ISO 5658 - 2:2006 + A1:2011)	
24 hours after		Excellent	Stain resistance (Tchibo)	
installation: 1.43 Kg/cm	Adhesion Test	Compliant	Antibacterial properties JIS Z 2081 am. 1 (2012)	
Coming soon	Moisture resistance	No visible change	Spongeability (EN12956)	
		Extra-washable	Washability (EN12956)	
		Visible change	Scrubability (EN12956)	

CARE AND MAINTENANCE

DURABILITY:

This product offers exceptional resistance to water, dirt, abrasion, UV rays and wear (yellowing, crackling, scaling, delamination).

MAINTENANCE:

Apply a mild soap to clean the surface of the film, such as a pH neutral detergent. Avoid using products with excessively acidic or basic pH levels. For stubborn stain removal, apply hot water (not boiling). If necessary, use a solution of isopropyl alcohol and water (70% ISO, 30% H2O). However, do not use this solution to printed Cover Styl surfaces. - When cleaning the film surface, only use soft cloths or sponges to avoid causing any damage. - Avoid using cleaning products that are organic-based, such as ammonia or polish, as they can be harmful to the vinyl. Cleaning detergents, bactericides, and virucidal products should be tested on a hidden section prior to use. - For Cork references, due to their ability to resist dust and dirt, minimal cleaning and care is required. Use a brush with gentle bristles to clean these surfaces. In the event of wet or damp stains use an absorbent cloth to wipe away the moisture and meticulously dry the affected area as soon as possible. By following these instructions, you can ensure the longevity and appearance of your vinyl. Persistent stains indicate inadequate care and maintenance. In such cases, consider using a patch repair method (not guaranteed but effective and economical) or replacing the entire vinyl.

Non-contractual visuals and data, Cover Styl reserves the right to change the composition of its films at any time. The rendition of the colours and finishes on the computer may vary according to the screen and not give a true representation of the true appearance. We therefore recommend you order a sample on line or contact us so that we can examine the finish that best adapts to your requirements. Due to the slight differences in colour in production runs, we advise you to purchase the amount you require in one go to avoid any difference in appearance in the execution of your Cover Styl project.